Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15908	(request\$3 selectiv\$4 receiv\$3 input\$3 level\$1) near4 (authentication\$1 authoriz\$7 authoris\$7)	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L2	8643	((726/3) or (726/14) or (726/21-28) or (713/1) or (713/2) or (713/100) or (713/152) or (713/161) or (713/366) or (713/300) or (710/1) or (710/10) or (710/12) or (710/28) or (710/36)). CCLS.	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L3	252209	(select\$7 load\$3 determin\$8 which) near4 (bios (basic near2 input/ouput) (basic input\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L4	126780	(network\$1 lan wan vpn) near3 (state\$1 connect\$9)	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L5	690	L2 and L3 and L4	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L6	106	L5 and L1	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L7	168883	(system\$2 computer\$2 station\$2 workstation\$1) near3 (state\$1 condition\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L8	15385	(select\$7 load\$3 determin\$8 which) near4 L7	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:46
L9	1416488	bios (basic near2 input/ouput) (basic input\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:52
L10	221287	(first primary) near2 (module\$1 bios (basic near2 input/ouput) (basic input\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L11	15908	(request\$3 selectiv\$4 receiv\$3 input\$3 level\$1) near4 (authentication\$1 authoriz\$7 authoris\$7)	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42,
L12	18804	bios (basic near2 input/ouput) (basic near2 input\$1) (boot\$3 near3 module\$1) (bios near2 module\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L13	1894	(select\$7 load\$3 determin\$8 which) near4 L12	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L14	542	L13 and L4	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L15	38	L14 and L1	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L16	2041	(select\$7 load\$3 determin\$8 which chos\$3 choos\$3 pick\$3 either\$1) near4 L12	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42

09/465,650

			· · · · · · · · · · · · · · · · · · ·			
L17	13638	(determin\$8 whether base\$1) near3 L7	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L18	132	L16 and L17	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L19	8314	(determin\$8 whether base\$1) near3 L4	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L20	201816	(second\$3 another\$1) near2 (module\$1 bios (basic near2 input/ouput) (basic input\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L21	31	L16 and L19	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L22	393	(request\$4 near5 (authentic\$5 authori\$9 password\$1 encrypt\$4) near5 (level\$1 range\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L23	2552	(load\$3 invok\$4 execut\$4) near6 (bios (boot near3 module\$2) (basic near2 input/ouput))	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L24	229	(determin\$8 which whether if base\$1 accord\$3 correspond\$3) near5 L23	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L25	19	L24 and ((authentic\$5 authori\$9 password\$1 encrypt\$4) near5 (request\$4 level\$1 range\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L26	6241	(load\$3 invok\$4 execut\$4) near4 (preboot\$3 pre-boot\$4 boot\$4 boot-up bios (boot near3 module\$2) (basic near2 input/ouput))	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L27	484	(select\$7 chos\$4 choos\$4 pick\$4 decid\$3 decision\$1 determin\$8 which) near4 L26	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L28	26	L27 and ((authentic\$5 authori\$9) near5 (request\$4 level\$1 range\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L29	25636	bios (basic near2 input/ouput) (initial\$8 near3 module\$1) (basic near2 input\$8) (boot\$3 near3 module\$1) (bios near2 module\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L30	1953	(select\$7 load\$3 determin\$8 which) near6 (bios (basic near2 input/ouput))	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L31	37754	(determin\$8 which whether if) near5 (connect\$4 state\$1 condition\$1 status\$2) near7 (system\$1 computer\$1 node\$1 workstation\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L32	352	L31 and L30	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L33	10	L32 and ((authentic\$5 authori\$9 password\$1 encrypt\$4) near5 (level\$1 range\$1))	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42

L34	0	L32 and L22	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L35	1311	(select\$7 chos\$4 choos\$4 pick\$4 decid\$3 decision\$1 determin\$8 which) near6 (bios (boot near3 module\$2) (basic near2 input/ouput))	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L36	632049	(determin\$8 which whether if base\$1 accord\$3 correspond\$3) near5 (connect\$4 state\$1 condition\$1 status\$2)	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L37	701	L35 and L36	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L38	31	L37 and (request\$4 near5 (authentic\$5 authori\$9 password\$1 encrypt\$4))	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L39	1	L37 and L22	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L40	3788	(select\$7 load\$3 determin\$8 which) near8 L29	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L41	1206	L23 and L36	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L42	67	L41 and (request\$4 near5 (authentic\$5 authori\$9 password\$1 encrypt\$4))	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L43	.588	(select\$7 chos\$4 choos\$4 pick\$4 decid\$3 decision\$1 determin\$8 which) near6 L26	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:42
L44	309794	(select\$7 load\$3 determin\$8 which select\$6 dynamic\$3) near6 L9	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:53
L45	5796	l44 near6 module\$1	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:48
L46	318438	(select\$7 determin\$8 which either pick\$3 decid\$3 decision\$1) near6 L9	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:49
L48	5392	l45 and l46	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:52
L49	28123	(select\$7 determin\$8 which either pick\$3 decid\$3 decision\$1) near5 (system\$2 connect\$4) near3 (state\$1 network\$1)	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:50
L50	414	l48 and l49	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:53
L51	520	(module\$1) near5 (bios (basic near2 input/ouput))	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:53
L52	45	I51 and I49	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:53

L53	66	(select\$7 load\$3 determin\$8 which select\$6 dynamic\$3) near6 L51	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:53
L54	4	I52 and I53	USPAT; IBM_TDB	OR	OFF	2007/03/16 19:53